

BEST RECORD FOR PATIENT EYE SAFETY
Over 2 million safe uses with no pressure related blindness



RATED BEST IN CLINICAL TESTING
"This prospective randomized study shows that the [ProneView®] positioner created the lowest tissue pressures at both the forehead and the chin in an anesthetized, prone patient population undergoing spinal surgery." - M. Grisell, MD, MBA and H. M. Place, MD
- Face Tissue Pressure in Prone Positioning SPINE Volume 33, Number 26, pp 2938-2941 ©2008



MEETS AORN GUIDELINES AND ASA PRACTICE ADVISORIES

Molded and contoured insert for uniform pressure distribution over patient's face.
"Protection for the patient's forehead, eyes and chin should be provided." - AORN*

Eliminates pressure on eyes. No possibility of Central Retinal Artery Occlusion (CRAO).
"Direct pressure on the eye should be avoided to reduce the risk of central retinal artery occlusion (CRAO) and other ocular damage, including corneal abrasion." - AORN*
"Direct pressure on the eye should be avoided to prevent CRAO." - ASA Advisory**

Excellent eye visualization from 3 directions.
"The eyes of patients should be assessed regularly." - AORN*
"The eyes of prone-positioned patients should be regularly assessed and documented." - ASA Advisory**



Stable platform maintains neutral, adjustable neck position.
"The patient's cervical neck alignment should be maintained." - AORN*
"The high-risk patient's head should be maintained in a neutral forward position (e.g., without significant neck flexion, extension, lateral flexion, or rotation) when possible." - ASA Advisory**

* AORN Perioperative Standards and Recommended Practices - 2010 Edition © 2010 AORN, Inc.

** Anesthesiology 2006; 104 : 1319 ©American Society of Anesthesiologists